



In the Claims:

Please cancel without prejudice claims 16 and 19 and amend claims 12, 18 and 21 of claims 12 to 19 filed in the accompanying simultaneous amendment filed in the parent application, Ser. No. 10/159,310:

Claims 1 to 11 (previously canceled).

12 (currently amended). A method of at least one of promoting hair growth and decreasing hair loss, said method comprising the steps of:

a) providing an agent comprising at least one member selected from the group consisting of ~~compounds of formula (II)~~, compounds of formula (III) and physiologically compatible salts thereof;



wherein **A** and **B**, independently of each other, are each a CH group or a nitrogen atom, with the proviso that at least one of said **A** and **B** is said CH group;

Y represents -O-, -(CH₂)_n-, -NH-CH₂-, -CH₂-NH-, -N=N-, -CH=CH-, -CH₂-O-, -O-CH₂-, -N=CH-, -CH=N-, -(CH₂-CH₂-O)_m- or -(O-CH₂-CH₂)_m-, with m and n, independently of each other, equal to 1, 2, 3 or 4;

R7 represents -OH, -OSO₃H, -OALK or -OCOCH₃, wherein ALK represents an alkyl group having one to four carbon atoms;

R8 represents an alkyl group with one to eight carbon atoms, a hydroxyalkyl group having from one to six carbon atoms, a hydroxyalkenyl group having from two to six carbon atoms, an aryl group, a heteroaryl group or an alkenyl carboxylic acid group having two to six carbon atoms; and

b) applying said agent to hair and scalp in an amount sufficient for said promoting of said hair growth or said decreasing of said hair loss; and

c) leaving said agent on said hair and scalp for a predetermined time interval.

13(original). The method as defined in claim 12, wherein said predetermined time interval is at least 24 hours.

14(original). The method as defined in claim 12, wherein after said applying said scalp is massaged for another predetermined time interval.

15(original). The method as defined in claim 14, wherein said another predetermined time interval is for from 1 to 5 minutes.

16 (currently canceled).

17(original). The method as defined in claim 12, wherein said agent is said compound of the formula (III) in which **Y** represents -N=N-, -(CH₂)_n-, -CH=CH-, -N=CH- or -CH=N-; **R7** represents -OH, -OSO₃H or -OALK, wherein ALK is an alkyl group having one to four carbon atoms and **R8** represents an alkyl group with one to six carbon atoms, a hydroxyalkyl group having from one to six carbon atoms, a phenyl group, a benzyl group or a pyridyl group.


18(currently amended). The method as defined in claim 12, wherein said agent is ~~at least one member selected from the group consisting 2,6-diamino-3-((pyridin-3-yl)-azo)pyridine and 2,6-diamino-3-((pyridin-3-yl)-azo)pyridin-1-oxide.~~

19 (currently canceled).

20(original). The method as defined in claim 12, wherein said agent is a hair tonic or a preparation for sustained release of said agent.

21(currently amended). A method of at least one of promoting hair growth and decreasing hair loss, said method comprising the steps of:

a) providing an agent comprising at least one member selected from the group consisting of ~~compounds of formula (II)~~, compounds of formula (III) and physiologically compatible salts thereof;



wherein **A** and **B**, independently of each other, are each a CH group or a nitrogen atom, with the proviso that at least one of said **A** and **B** is said CH group;

Y represents $-\text{O}-$, $-(\text{CH}_2)_n-$, $-\text{NH}-\text{CH}_2-$, $-\text{CH}_2-\text{NH}-$, $-\text{N}=\text{N}-$, $-\text{CH}=\text{CH}-$, $-\text{CH}_2-\text{O}-$, $-\text{O}-\text{CH}_2-$, $-\text{N}=\text{CH}-$, $-\text{CH}=\text{N}-$, $-(\text{CH}_2-\text{CH}_2-\text{O})_m-$ or $-(\text{O}-\text{CH}_2-\text{CH}_2)_m-$, with m and n , independently of each other, equal to 1, 2, 3 or 4;

R7 represents $-\text{OH}$, $-\text{OSO}_3\text{H}$, $-\text{OALK}$ or $-\text{OCOCH}_3$, wherein **ALK** represents an alkyl group having one to four carbon atoms;

R8 represents an alkyl group with one to six carbon atoms, a hydroxyalkyl group having from one to six carbon atoms, a hydroxyalkenyl group having from two to six carbon atoms, an aryl group, a heteroaryl group or an alkenyl carboxylic acid group having two to six carbon atoms; and

b) applying said agent to hair and scalp in an amount sufficient for said promoting of said hair growth or said decreasing of said hair loss;

- c) massaging said scalp for one to five minutes after the applying of step
- b); and
- d) leaving said agent on said hair and said scalp for at least 24 hours.